1/18





FIG.1

2/18







FIG.4

 $(CH_3CH_2)_2\overline{N}$ **#** $\sqrt{N}(CH_3CH_3)_2$ COLORLESS LACTONE FORM $\dot{\rm M}({\rm CH_3})_2$ $(CH_3CH_2)_2\overline{N}$

 $(CH_3CH_2)_2\overline{N}$ $N(CH_2CH_3)_2$ OH OH $N(CH_3)_2$ $N(CH_3)_2$

FIG.3

BLUE COLORED QUININOID FORM








FIG.7A FIG.7B FIG.7C

FIG.7A



looseoes . Oesoos



looseoes .. oeeooe






FIG.8B FIG.8C FIG.8

TEXTURED SURFACE


FIG.8A



AOOSZOZS "DZZOCZ




locacoe caecoe




PROTECTIVE COATING

FIG.9A

FIG.9B FIG.9C FIG.9C





looerore.orroor




FIG.10




FIG.12

15/18

TIME (HOURS)	WEIGHT LOSS (mg)
0	0
2.33	1.5
19.93	9.2
26.50	11.9
43.17	17.8
51.33	20.8

WEIGHT LOSS (mg) OF ADAMANTANE BY SUBLIMATION FROM A DISK 0.785 cm 2 IN AREA AS FUNCTION OF TIME AT ROOM TEMPERATURE






FIG.11








FIG.15




FIG.16